

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|----------|---|---|------------------|---------|------------------|
| L1 | 1172 | (mobile adj station) with (data near3 channel\$2) with (transmit\$4 send\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 20:27 |
| L2 | 166 | (base near2 station) with ((base near3 controll\$4) (radio near3 controll\$4)) with (data near3 channel\$2) with (transmit\$4 send\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 20:27 |
| L3 | 59 | L1 same L2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 20:27 |
| L4 | 811 | (base near2 station) same ((base near3 controll\$4) (radio near3 controll\$4)) same (data near3 channel\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 20:27 |
| L5 | 24277284 | @ad<="20030512" or @rlad<="20030512" or @ptad<="20030512" or @pt1d<="20030512" or @pt3d<="20030512" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 20:27 |
| L6 | 1218 | ((threshold predetermin\$4 value exceed\$4 greater less limit\$3 period\$4 preselect\$4 preset (pre near3 (set select\$4))) near5 tim\$4) with (bsc (base near3 control\$4) (radio near3 control\$4)) with (bs (base near3 station) bts (base near3 transceiver)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 20:27 |
| L7 | 1064 | L5 and L6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 20:27 |
| L8 | 96596 | "455"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 20:27 |
| L9 | 527 | L7 and L8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 20:27 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| L10 | 1172 | (mobile adj station) with (data near3 channel\$2) with (transmit\$4 send\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 20:27 |
| L11 | 166 | (base near2 station) with ((base near3 controll\$4) (radio near3 controll\$4)) with (data near3 channel\$2) with (transmit\$4 send\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 20:27 |
| L12 | 59 | L10 same L11 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 20:27 |
| L13 | 496 | (base near2 station) same ((base near3 controll\$4) (radio near3 controll\$4)) same (data near3 channel\$2) same (transmit\$4 send\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 20:28 |
| L14 | 1505 | (fast near4 ((setup) (set near2 up))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 20:28 |
| L15 | 2 | L13 same L14 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 20:28 |
| L16 | 1 | (request\$4 near3 messag\$4) and (base near3 station) and (notification near3 message) and (tim\$4 near threshold).clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 20:32 |
| L17 | 9 | (messag\$4) and (base near3 station) and (notification near3 message) and (tim\$4 near threshold).clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 20:33 |
| S1 | 2 | "20040229627" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/16 16:33 |

EAST Search History

| | | | | | | |
|----|----------|--|---|----|----|------------------|
| S2 | 548 | (portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) same (base near2 station) same ((base near3 controll\$4) (radio near3 controll\$4)) same (data near3 channel\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/16 16:38 |
| S3 | 24031249 | @ad<="20030512" or @rlad<="20030512" or @ptad<="20030512" or @pt1d<="20030512" or @pt3d<="20030512" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/10 14:22 |
| S4 | 514 | S2 and S3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/16 16:37 |
| S5 | 63 | (portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) same (base near2 station) same ((base near3 controll\$4) (radio near3 controll\$4)) same (data near3 channel\$2) same ((transmit\$4 request\$4) near4 messag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/16 17:53 |
| S6 | 62 | S3 and S5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/16 16:39 |
| S7 | 960 | (mobile adj station) with (data near3 channel\$2) with (transmit\$4 send\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/16 20:00 |
| S8 | 883 | S3 and S7 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/16 17:52 |
| S9 | 144 | (base near2 station) with ((base near3 controll\$4) (radio near3 controll\$4)) with (data near3 channel\$2) with (transmit\$4 send\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/16 20:02 |

EAST Search History

| | | | | | | |
|-----|---------|--|---|----|----|------------------|
| S10 | 51 | S7 same S9 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 20:27 |
| S11 | 48 | S3 and S10 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/16 19:26 |
| S12 | 2 | "20020057667" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/16 19:26 |
| S13 | 2586674 | (mobile adj station) same (channel\$2) same (fast near4 ((setup) (set near2 up))) (transmit\$4 send\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/16 20:03 |
| S14 | 420 | (base near2 station) same ((base near3 controll\$4) (radio near3 controll\$4)) same (data near3 channel\$2) same (transmit\$4 send\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/16 20:04 |
| S15 | 1304 | (fast near4 ((setup) (set near2 up))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/16 20:03 |
| S16 | 2 | S14 same S15 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/10 17:37 |
| S17 | 1631 | (mobile adj station) same (channel\$2) same ((setup) (set near2 up)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/16 20:04 |
| S18 | 686 | (base near2 station) same ((base near3 controll\$4) (radio near3 controll\$4)) same (data near3 channel\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 20:27 |
| S19 | 27 | S18 same S17 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/16 20:04 |

EAST Search History

| | | | | | | |
|-----|----------|--|---|----|----|------------------|
| S20 | 2 | "6167248".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/17 11:12 |
| S21 | 2 | "20040229627" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/17 11:12 |
| S22 | 6 | "6314292" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/10 12:23 |
| S23 | 2 | "6314292".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/10 14:16 |
| S24 | 2 | "20040229627" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/10 14:19 |
| S25 | 6639 | (threshold predetermin\$4 value exceed\$4 greater less limit\$3 d period\$4 preselect\$4 preset (pre near3 (set select\$4))) with (bsc (base near3 control\$4) (radio near3 control\$4)) with (bs (base near3 station) bts (base near3 transceiver)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/10 14:22 |
| S26 | 24189759 | @ad<="20030512" or @rlad<="20030512" or @ptad<="20030512" or @pt1d<="20030512" or @pt3d<="20030512" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/10 14:22 |
| S27 | 1709 | (threshold predetermin\$4 value exceed\$4 greater less limit\$3 d period\$4 preselect\$4 preset (pre near3 (set select\$4))) with (bsc (base near3 control\$4) (radio near3 control\$4)) with (bs (base near3 station) bts (base near3 transceiver)) with (tim\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/10 14:23 |
| S28 | 1928367 | ((threshold predetermin\$4 value exceed\$4 greater less limit\$3 period\$4 preselect\$4 preset (pre near3 (set select\$4))) near5 tim\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/10 14:25 |

EAST Search History

| | | | | | | |
|-----|-------|--|---|----|----|------------------|
| S29 | 1151 | ((threshold predetermin\$4 value exceed\$4 greater less limit\$3 period\$4 preselect\$4 preset (pre near3 (set select\$4))) near5 tim\$4) with (bsc (base near3 control\$4) (radio near3 control\$4)) with (bs (base near3 station) bts (base near3 transceiver)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/10 15:17 |
| S30 | 1037 | S26 and S29 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/10 17:37 |
| S31 | 92315 | "455"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/10 14:27 |
| S32 | 509 | S30 and S31 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 20:27 |
| S33 | 48 | ((threshold predetermin\$4 value exceed\$4 greater less limit\$3 period\$4 preselect\$4 preset (pre near3 (set select\$4))) near5 tim\$4) with (bsc (base near3 control\$4) (radio near3 control\$4)) with (bs (base near3 station) bts (base near3 transceiver)) with (terminat\$4 releas\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/10 15:31 |
| S34 | 2 | "6178337".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/10 17:28 |
| S35 | 2 | "6366779".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/10 17:28 |
| S36 | 1096 | (mobile adj station) with (data near3 channel\$2) with (transmit\$4 send\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/10 17:37 |

EAST Search History

| | | | | | | |
|-----|----------|---|---|----|----|------------------|
| S37 | 155 | (base near2 station) with ((base near3 controll\$4) (radio near3 controll\$4)) with (data near3 channel\$2) with (transmit\$4 send\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/10 17:37 |
| S38 | 56 | S36 same S37 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 20:27 |
| S39 | 24189759 | @ad<="20030512" or @rlad<="20030512" or @ptad<="20030512" or @pt1d<="20030512" or @pt3d<="20030512" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/10 17:37 |
| S40 | 1151 | ((threshold predetermin\$4 value exceed\$4 greater less limit\$3 period\$4 preselect\$4 preset (pre near3 (set select\$4))) near5 tim\$4) with (bsc (base near3 control\$4) (radio near3 control\$4)) with (bs (base near3 station) bts (base near3 transceiver)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/10 17:37 |
| S41 | 1037 | S39 and S40 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/10 17:37 |
| S42 | 461 | (base near2 station) same ((base near3 controll\$4) (radio near3 controll\$4)) same (data near3 channel\$2) same (transmit\$4 send\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/10 17:37 |
| S43 | 1441 | (fast near4 ((setup) (set near2 up))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/10 17:37 |
| S44 | 2 | S42 same S43 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 20:28 |